



TELEPHONE: (414) 263-2770
800-227-5220
FAX: (414) 562-2710
800-424-6330

O-RINGS

Compounds Available:

Nitrile (Buna) 70A
Nitrile (Buna) 90A (Hydraulic)
Nitrile (Buna) 70A FDA-NSF
Ethylene Propylene (EP) 70A
Ethylene Propylene (EP) 70A FDA-NSF
Viton 75A
Silicone 70A

Other durometers & compounds available on special order;

Urethane
Neoprene
Flourosilicone


Value Added Services

Special Packaging
Parts Kitting
Bar Code Labeling
Kan Ban / Bin Stocking

Serving Industry Since 1926

STANDARD O-RING SIZE REFERENCE

SECTIONAL VIEW
FOR ALL O-RINGS



| 568 Series DASH NO. | NOMINAL SIZE | | | ACTUAL SIZE | | | |
|------------------------|--------------|---------|------|-------------|--------|------|--------|
| | I.D. | O.D. | W. | I.D. | | W. | |
| -001 | 1/32 | 3/32 | 1/32 | .029 | ± .004 | .040 | ± .003 |
| -002 | 3/64 | 9/64 | 3/64 | .042 | ± .004 | .050 | ± .003 |
| -003 | 1/16 | 3/16 | 1/16 | .056 | ± .004 | .060 | ± .003 |
| -004 | 5/64 | 13/64 | 1/16 | .070 | ± .005 | .070 | ± .003 |
| -005 | 3/32 | 7/32 | 1/16 | .101 | ± .005 | .070 | ± .003 |
| -006 | 1/8 | 1/4 | 1/16 | .114 | ± .005 | .070 | ± .003 |
| -007 | 5/32 | 9/32 | 1/16 | .145 | ± .005 | .070 | ± .003 |
| -008 | 3/16 | 5/16 | 1/16 | .176 | ± .005 | .070 | ± .003 |
| -009 | 7/32 | 11/32 | 1/16 | .208 | ± .005 | .070 | ± .003 |
| -010 | 1/4 | 3/8 | 1/16 | .239 | ± .005 | .070 | ± .003 |
| -011 | 5/16 | 7/16 | 1/16 | .301 | ± .005 | .070 | ± .003 |
| -012 | 3/8 | 1/2 | 1/16 | .364 | ± .005 | .070 | ± .003 |
| -013 | 7/16 | 9/16 | 1/16 | .426 | ± .005 | .070 | ± .003 |
| -014 | 1/2 | 5/8 | 1/16 | .489 | ± .005 | .070 | ± .003 |
| -015 | 9/16 | 11/16 | 1/16 | .551 | ± .007 | .070 | ± .003 |
| -016 | 5/8 | 3/4 | 1/16 | .614 | ± .009 | .070 | ± .003 |
| -017 | 11/16 | 13/16 | 1/16 | .676 | ± .009 | .070 | ± .003 |
| -018 | 3/4 | 7/8 | 1/16 | .739 | ± .009 | .070 | ± .003 |
| -019 | 13/16 | 15/16 | 1/16 | .801 | ± .009 | .070 | ± .003 |
| -020 | 7/8 | 1 | 1/16 | .864 | ± .009 | .070 | ± .003 |
| -021 | 15/16 | 1 1/16 | 1/16 | .926 | ± .009 | .070 | ± .003 |
| -022 | 1 | 1/8 | 1/16 | .989 | ± .010 | .070 | ± .003 |
| -023 | 1 1/16 | 1 3/16 | 1/16 | 1.051 | ± .010 | .070 | ± .003 |
| -024 | 1 1/8 | 1 1/4 | 1/16 | 1.114 | ± .010 | .070 | ± .003 |
| -025 | 1 3/16 | 1 5/16 | 1/16 | 1.176 | ± .011 | .070 | ± .003 |
| -026 | 1 1/4 | 1 3/8 | 1/16 | 1.239 | ± .011 | .070 | ± .003 |
| -027 | 1 5/16 | 1 7/16 | 1/16 | 1.301 | ± .011 | .070 | ± .003 |
| -028 | 1 3/8 | 1 1/2 | 1/16 | 1.364 | ± .013 | .070 | ± .003 |
| -029 | 1 1/2 | 1 5/8 | 1/16 | 1.489 | ± .013 | .070 | ± .003 |
| -030 | 1 5/8 | 1 3/4 | 1/16 | 1.614 | ± .013 | .070 | ± .003 |
| -031 | 1 3/4 | 1 7/8 | 1/16 | 1.739 | ± .015 | .070 | ± .003 |
| -032 | 1 7/8 | 2 | 1/16 | 1.864 | ± .015 | .070 | ± .003 |
| -033 | 2 | 2 1/8 | 1/16 | 1.989 | ± .018 | .070 | ± .003 |
| -034 | 2 1/8 | 2 1/4 | 1/16 | 2.114 | ± .018 | .070 | ± .003 |
| -035 | 2 1/4 | 2 3/8 | 1/16 | 2.239 | ± .018 | .070 | ± .003 |
| -036 | 2 3/8 | 2 1/2 | 1/16 | 2.364 | ± .018 | .070 | ± .003 |
| -037 | 2 1/2 | 2 5/8 | 1/16 | 2.489 | ± .018 | .070 | ± .003 |
| -038 | 2 5/8 | 2 3/4 | 1/16 | 2.614 | ± .020 | .070 | ± .003 |
| -039 | 2 3/4 | 2 7/8 | 1/16 | 2.739 | ± .020 | .070 | ± .003 |
| -040 | 2 7/8 | 3 | 1/16 | 2.864 | ± .020 | .070 | ± .003 |
| -041 | 3 | 3 1/8 | 1/16 | 2.989 | ± .024 | .070 | ± .003 |
| -042 | 3 1/4 | 3 3/8 | 1/16 | 3.239 | ± .024 | .070 | ± .003 |
| -043 | 3 1/2 | 3 5/8 | 1/16 | 3.489 | ± .024 | .070 | ± .003 |
| -044 | 3 3/4 | 3 7/8 | 1/16 | 3.739 | ± .027 | .070 | ± .003 |
| -045 | 4 | 4 1/8 | 1/16 | 3.989 | ± .027 | .070 | ± .003 |
| -046 | 4 1/4 | 4 3/8 | 1/16 | 4.239 | ± .030 | .070 | ± .003 |
| -047 | 4 1/2 | 4 5/8 | 1/16 | 4.489 | ± .030 | .070 | ± .003 |
| -048 | 4 3/4 | 4 7/8 | 1/16 | 4.739 | ± .030 | .070 | ± .003 |
| -049 | 5 | 5 1/8 | 1/16 | 4.989 | ± .037 | .070 | ± .003 |
| -050 | 5 1/4 | 5 3/8 | 1/16 | 5.239 | ± .037 | .070 | ± .003 |
| -102 | 1/16 | 1/4 | 3/32 | .049 | ± .005 | .103 | ± .003 |
| -103 | 3/32 | 9/32 | 3/32 | .081 | ± .005 | .103 | ± .003 |
| -104 | 1/8 | 5/16 | 3/32 | .112 | ± .005 | .103 | ± .003 |
| -105 | 5/32 | 11/32 | 3/32 | .143 | ± .005 | .103 | ± .003 |
| -106 | 3/16 | 3/8 | 3/32 | .174 | ± .005 | .103 | ± .003 |
| -107 | 7/32 | 13/32 | 3/32 | .206 | ± .005 | .103 | ± .003 |
| -108 | 1/4 | 7/16 | 3/32 | .237 | ± .005 | .103 | ± .003 |
| -109 | 5/16 | 1/2 | 3/32 | .269 | ± .005 | .103 | ± .003 |
| -110 | 3/8 | 9/16 | 3/32 | .362 | ± .005 | .103 | ± .003 |
| -111 | 7/16 | 5/8 | 3/32 | .424 | ± .005 | .103 | ± .003 |
| -112 | 1/2 | 11/16 | 3/32 | .487 | ± .005 | .103 | ± .003 |
| -113 | 9/16 | 3/4 | 3/32 | .549 | ± .007 | .103 | ± .003 |
| -114 | 5/8 | 13/16 | 3/32 | .612 | ± .009 | .103 | ± .003 |
| -115 | 11/16 | 7/8 | 3/32 | .674 | ± .009 | .103 | ± .003 |
| -116 | 3/4 | 15/16 | 3/32 | .737 | ± .009 | .103 | ± .003 |
| -117 | 13/16 | 1 | 3/32 | .799 | ± .010 | .103 | ± .003 |
| -118 | 7/8 | 1 1/8 | 3/32 | .862 | ± .010 | .103 | ± .003 |
| -119 | 15/16 | 1 1/8 | 3/32 | .924 | ± .010 | .103 | ± .003 |
| -120 | 1 | 1 3/16 | 3/32 | .987 | ± .010 | .103 | ± .003 |
| -121 | 1 1/16 | 1 1/4 | 3/32 | 1.049 | ± .010 | .103 | ± .003 |
| -122 | 1 1/8 | 1 5/16 | 3/32 | 1.112 | ± .010 | .103 | ± .003 |
| -123 | 1 3/16 | 1 3/8 | 3/32 | 1.174 | ± .012 | .103 | ± .003 |
| -124 | 1 1/4 | 1 7/16 | 3/32 | 1.237 | ± .012 | .103 | ± .003 |
| -125 | 1 5/16 | 1 1/2 | 3/32 | 1.299 | ± .012 | .103 | ± .003 |
| -126 | 1 3/8 | 1 9/16 | 3/32 | 1.362 | ± .012 | .103 | ± .003 |
| -127 | 1 7/16 | 1 5/8 | 3/32 | 1.424 | ± .012 | .103 | ± .003 |
| -128 | 1 1/2 | 1 11/16 | 3/32 | 1.487 | ± .012 | .103 | ± .003 |
| -129 | 1 9/16 | 1 3/4 | 3/32 | 1.549 | ± .015 | .103 | ± .003 |
| -130 | 1 5/8 | 1 13/16 | 3/32 | 1.612 | ± .015 | .103 | ± .003 |
| -131 | 1 11/16 | 1 7/8 | 3/32 | 1.674 | ± .015 | .103 | ± .003 |
| -132 | 1 3/4 | 1 15/16 | 3/32 | 1.737 | ± .015 | .103 | ± .003 |
| -133 | 1 13/16 | 2 | 3/32 | 1.799 | ± .015 | .103 | ± .003 |
| -134 | 1 7/8 | 2 1/16 | 3/32 | 1.862 | ± .015 | .103 | ± .003 |
| -135 | 1 15/16 | 2 1/8 | 3/32 | 1.925 | ± .017 | .103 | ± .003 |
| -136 | 2 | 2 3/16 | 3/32 | 1.987 | ± .017 | .103 | ± .003 |
| -137 | 2 1/16 | 2 1/4 | 3/32 | 2.050 | ± .017 | .103 | ± .003 |
| -138 | 2 1/8 | 2 5/16 | 3/32 | 2.112 | ± .017 | .103 | ± .003 |

| 568 Series DASH NO. | NOMINAL SIZE | | | ACTUAL SIZE | | | |
|------------------------|--------------|---------|------|-------------|--------|------|--------|
| | I.D. | O.D. | W. | I.D. | | W. | |
| -139 | 2 3/16 | 2 3/8 | 3/32 | 2.175 | ± .017 | .103 | ± .003 |
| -140 | 2 1/4 | 2 7/16 | 3/32 | 2.237 | ± .017 | .103 | ± .003 |
| -141 | 2 5/16 | 2 1/2 | 3/32 | 2.300 | ± .020 | .103 | ± .003 |
| -142 | 2 3/8 | 2 9/16 | 3/32 | 2.362 | ± .020 | .103 | ± .003 |
| -143 | 2 7/16 | 2 5/8 | 3/32 | 2.425 | ± .020 | .103 | ± .003 |
| -144 | 2 1/2 | 2 11/16 | 3/32 | 2.487 | ± .020 | .103 | ± .003 |
| -145 | 2 9/16 | 2 3/4 | 3/32 | 2.550 | ± .020 | .103 | ± .003 |
| -146 | 2 5/8 | 2 13/16 | 3/32 | 2.612 | ± .020 | .103 | ± .003 |
| -147 | 2 11/16 | 2 7/8 | 3/32 | 2.675 | ± .022 | .103 | ± .003 |
| -148 | 2 3/4 | 2 15/16 | 3/32 | 2.737 | ± .022 | .103 | ± .003 |
| -149 | 2 13/16 | 3 | 3/32 | 2.800 | ± .022 | .103 | ± .003 |
| -150 | 2 7/8 | 3 1/16 | 3/32 | 2.862 | ± .022 | .103 | ± .003 |
| -151 | 3 | 3 3/16 | 3/32 | 2.925 | ± .024 | .103 | ± .003 |
| -152 | 3 1/4 | 3 7/16 | 3/32 | 3.237 | ± .024 | .103 | ± .003 |
| -153 | 3 1/2 | 3 11/16 | 3/32 | 3.487 | ± .024 | .103 | ± .003 |
| -154 | 3 3/4 | 3 15/16 | 3/32 | 3.737 | ± .028 | .103 | ± .003 |
| -155 | 4 | 4 3/16 | 3/32 | 3.987 | ± .028 | .103 | ± .003 |
| -156 | 4 1/4 | 4 7/16 | 3/32 | 4.237 | ± .030 | .103 | ± .003 |
| -157 | 4 1/2 | 4 11/16 | 3/32 | 4.487 | ± .030 | .103 | ± .003 |
| -158 | 4 3/4 | 4 15/16 | 3/32 | 4.737 | ± .030 | .103 | ± .003 |
| -159 | 5 | 5 3/16 | 3/32 | 4.987 | ± .035 | .103 | ± .003 |
| -160 | 5 1/4 | 5 7/16 | 3/32 | 5.237 | ± .035 | .103 | ± .003 |
| -161 | 5 1/2 | 5 11/16 | 3/32 | 5.487 | ± .035 | .103 | ± .003 |
| -162 | 5 3/4 | 5 15/16 | 3/32 | 5.737 | ± .035 | .103 | ± .003 |
| -163 | 6 | 6 3/16 | 3/32 | 5.987 | ± .035 | .103 | ± .003 |
| -164 | 6 1/4 | 6 7/16 | 3/32 | 6.237 | ± .040 | .103 | ± .003 |
| -165 | 6 1/2 | 6 11/16 | 3/32 | 6.487 | ± .040 | .103 | ± .003 |
| -166 | 6 3/4 | 6 15/16 | 3/32 | 6.737 | ± .040 | .103 | ± .003 |
| -167 | 7 | 7 3/16 | 3/32 | 6.987 | ± .040 | .103 | ± .003 |
| -168 | 7 1/4 | 7 7/16 | 3/32 | 7.237 | ± .045 | .103 | ± .003 |
| -169 | 7 1/2 | 7 11/16 | 3/32 | 7.487 | ± .045 | .103 | ± .003 |
| -170 | 7 3/4 | 7 15/16 | 3/32 | 7.737 | ± .045 | .103 | ± .003 |
| -171 | 8 | 8 3/16 | 3/32 | 7.987 | ± .045 | .103 | ± .003 |
| -172 | 8 1/4 | 8 7/16 | 3/32 | 8.237 | ± .050 | .103 | ± .003 |
| -173 | 8 1/2 | 8 11/16 | 3/32 | 8.487 | ± .050 | .103 | ± .003 |
| -174 | 8 3/4 | 8 15/16 | 3/32 | 8.737 | ± .050 | .103 | ± .003 |
| -175 | 9 | 9 3/16 | 3/32 | 8.987 | ± .050 | .103 | ± .003 |
| -176 | 9 1/4 | 9 7/16 | 3/32 | 9.237 | ± .055 | .103 | ± .003 |
| -177 | 9 1/2 | 9 11/16 | 3/32 | 9.487 | ± .055 | .103 | ± .003 |
| -178 | 9 3/4 | 9 15/16 | 3/32 | 9.737 | ± .055 | .103 | ± .003 |
| -201 | 3/16 | 7/16 | 1/8 | .171 | ± .005 | .139 | ± .004 |
| -202 | 1/4 | 1/2 | 1/8 | .234 | ± .005 | .139 | ± .004 |
| -203 | 5/16 | 9/16 | 1/8 | .296 | ± .005 | .139 | ± .004 |
| -204 | 3/8 | 5/8 | 1/8 | .359 | ± .005 | .139 | ± .004 |
| -205 | 7/16 | 11/16 | 1/8 | .421 | ± .005 | .139 | ± .004 |
| -206 | 1/2 | 3/4 | 1/8 | .484 | ± .005 | .139 | ± .004 |
| -207 | 9/16 | 13/16 | 1/8 | .546 | ± .007 | .139 | ± .004 |
| -208 | 5/8 | 7/8 | 1/8 | .609 | ± .009 | .139 | ± .004 |
| -209 | 11/16 | 15/16 | 1/8 | .671 | ± .010 | .139 | ± .004 |
| -210 | 3/4 | 1 | 1/8 | .734 | ± .010 | .139 | ± .004 |
| -211 | 13/16 | 1 1/16 | 1/8 | .796 | ± .010 | .139 | ± .004 |
| -212 | 7/8 | 1 1/8 | 1/8 | .859 | ± .010 | .139 | ± .004 |
| -213 | 15/16 | 1 3/16 | 1/8 | .921 | ± .010 | .139 | ± .004 |
| -214 | 1 | 1 1/4 | 1/8 | .984 | ± .010 | .139 | ± .004 |
| -215 | 1 1/16 | 1 5/16 | 1/8 | 1.046 | ± .010 | .139 | ± .004 |
| -216 | 1 1/8 | 1 3/8 | 1/8 | 1.109 | ± .012 | .139 | ± .004 |
| -217 | 1 3/16 | 1 7/16 | 1/8 | 1.171 | ± .012 | .139 | ± .004 |
| -218 | 1 1/4 | 1 1/2 | 1/8 | 1.234 | ± .012 | .139 | ± .004 |
| -219 | 1 5/16 | 1 9/16 | 1/8 | 1.296 | ± .012 | .139 | ± .004 |
| -220 | 1 3/8 | 1 5/8 | 1/8 | 1.359 | ± .012 | .139 | ± .004 |
| -221 | 1 7/16 | 1 11/16 | 1/8 | 1.421 | ± .012 | .139 | ± .004 |
| -222 | 1 1/2 | 1 3/4 | 1/8 | 1.484 | ± .015 | .139 | ± .004 |
| -223 | 1 5/8 | 1 7/8 | 1/8 | 1.609 | ± .015 | .139 | ± .004 |
| -224 | 1 3/4 | 2 | 1/8 | 1.734 | ± .015 | .139 | ± .004 |
| -225 | 1 7/8 | 2 1/8 | 1/8 | 1.859 | ± .018 | .139 | |

STANDARD ORING SIZE CHART

| 568 Series DASH NO. | NOMINAL SIZE | | | ACTUAL SIZE | |
|------------------------|--------------|---------|------|---------------|-------------|
| | I.D. | O.D. | W. | I.D. | W. |
| -258 | 6 | 6 1/4 | 1/8 | 5.984 ± .035 | .139 ± .004 |
| -259 | 6 1/4 | 6 1/2 | 1/8 | 6.234 ± .040 | .139 ± .004 |
| -260 | 6 1/2 | 6 3/4 | 1/8 | 6.484 ± .040 | .139 ± .004 |
| -261 | 6 3/4 | 7 | 1/8 | 6.734 ± .040 | .139 ± .004 |
| -262 | 7 | 7 1/4 | 1/8 | 6.984 ± .040 | .139 ± .004 |
| -263 | 7 1/4 | 7 1/2 | 1/8 | 7.234 ± .045 | .139 ± .004 |
| -264 | 7 1/2 | 7 3/4 | 1/8 | 7.484 ± .045 | .139 ± .004 |
| -265 | 7 3/4 | 8 | 1/8 | 7.734 ± .045 | .139 ± .004 |
| -266 | 8 | 8 1/4 | 1/8 | 7.984 ± .045 | .139 ± .004 |
| -267 | 8 1/4 | 8 1/2 | 1/8 | 8.234 ± .050 | .139 ± .004 |
| -268 | 8 1/2 | 8 3/4 | 1/8 | 8.484 ± .050 | .139 ± .004 |
| -269 | 8 3/4 | 9 | 1/8 | 8.734 ± .050 | .139 ± .004 |
| -270 | 9 | 9 1/4 | 1/8 | 8.984 ± .050 | .139 ± .004 |
| -271 | 9 1/4 | 9 1/2 | 1/8 | 9.234 ± .055 | .139 ± .004 |
| -272 | 9 1/2 | 9 3/4 | 1/8 | 9.484 ± .055 | .139 ± .004 |
| -273 | 9 3/4 | 10 | 1/8 | 9.734 ± .055 | .139 ± .004 |
| -274 | 10 | 10 1/4 | 1/8 | 9.984 ± .055 | .139 ± .004 |
| -275 | 10 1/2 | 10 3/4 | 1/8 | 10.484 ± .055 | .139 ± .004 |
| -276 | 11 | 11 1/4 | 1/8 | 10.984 ± .065 | .139 ± .004 |
| -277 | 11 1/2 | 11 3/4 | 1/8 | 11.484 ± .065 | .139 ± .004 |
| -278 | 12 | 12 1/4 | 1/8 | 11.984 ± .065 | .139 ± .004 |
| -279 | 13 | 13 1/4 | 1/8 | 12.984 ± .065 | .139 ± .004 |
| -280 | 14 | 14 1/4 | 1/8 | 13.984 ± .065 | .139 ± .004 |
| -281 | 15 | 15 1/4 | 1/8 | 14.984 ± .065 | .139 ± .004 |
| -282 | 16 | 16 1/4 | 1/8 | 15.955 ± .075 | .139 ± .004 |
| -283 | 17 | 17 1/4 | 1/8 | 16.955 ± .080 | .139 ± .004 |
| -284 | 18 | 18 1/4 | 1/8 | 17.955 ± .085 | .139 ± .004 |
| -309 | 7/16 | 13/16 | 3/16 | .412 ± .005 | .210 ± .005 |
| -310 | 1/2 | 7/8 | 3/16 | .475 ± .005 | .210 ± .005 |
| -311 | 9/16 | 15/16 | 3/16 | .537 ± .007 | .210 ± .005 |
| -312 | 5/8 | 1 | 3/16 | .600 ± .009 | .210 ± .005 |
| -313 | 11/16 | 1 1/16 | 3/16 | .662 ± .009 | .210 ± .005 |
| -314 | 3/4 | 1 1/8 | 3/16 | .725 ± .010 | .210 ± .005 |
| -315 | 13/16 | 1 3/16 | 3/16 | .787 ± .010 | .210 ± .005 |
| -316 | 7/8 | 1 1/4 | 3/16 | .850 ± .010 | .210 ± .005 |
| -317 | 15/16 | 1 5/16 | 3/16 | .912 ± .010 | .210 ± .005 |
| -318 | 1 | 1 3/8 | 3/16 | .975 ± .010 | .210 ± .005 |
| -319 | 1 1/16 | 1 7/16 | 3/16 | 1.037 ± .010 | .210 ± .005 |
| -320 | 1 1/8 | 1 1/2 | 3/16 | 1.100 ± .012 | .210 ± .005 |
| -321 | 1 3/16 | 1 9/16 | 3/16 | 1.162 ± .012 | .210 ± .005 |
| -322 | 1 1/4 | 1 5/8 | 3/16 | 1.225 ± .012 | .210 ± .005 |
| -323 | 1 5/16 | 1 11/16 | 3/16 | 1.287 ± .012 | .210 ± .005 |
| -324 | 1 3/8 | 1 3/4 | 3/16 | 1.350 ± .012 | .210 ± .005 |
| -325 | 1 1/2 | 1 7/8 | 3/16 | 1.412 ± .015 | .210 ± .005 |
| -326 | 1 5/8 | 2 | 3/16 | 1.600 ± .015 | .210 ± .005 |
| -327 | 1 3/4 | 2 1/8 | 3/16 | 1.725 ± .015 | .210 ± .005 |
| -328 | 1 7/8 | 2 1/4 | 3/16 | 1.850 ± .015 | .210 ± .005 |
| -329 | 2 | 2 3/8 | 3/16 | 1.975 ± .018 | .210 ± .005 |
| -330 | 2 1/8 | 2 1/2 | 3/16 | 2.100 ± .018 | .210 ± .005 |
| -331 | 2 1/4 | 2 5/8 | 3/16 | 2.225 ± .018 | .210 ± .005 |
| -332 | 2 3/8 | 2 3/4 | 3/16 | 2.350 ± .018 | .210 ± .005 |
| -333 | 2 1/2 | 2 7/8 | 3/16 | 2.475 ± .020 | .210 ± .005 |
| -334 | 2 5/8 | 3 | 3/16 | 2.600 ± .020 | .210 ± .005 |
| -335 | 2 3/4 | 3 1/8 | 3/16 | 2.725 ± .020 | .210 ± .005 |
| -336 | 2 7/8 | 3 1/4 | 3/16 | 2.850 ± .020 | .210 ± .005 |
| -337 | 3 | 3 3/8 | 3/16 | 2.975 ± .024 | .210 ± .005 |
| -338 | 3 1/8 | 3 1/2 | 3/16 | 3.100 ± .024 | .210 ± .005 |
| -339 | 3 1/4 | 3 5/8 | 3/16 | 3.225 ± .024 | .210 ± .005 |
| -340 | 3 3/8 | 3 3/4 | 3/16 | 3.350 ± .024 | .210 ± .005 |
| -341 | 3 1/2 | 3 7/8 | 3/16 | 3.475 ± .024 | .210 ± .005 |
| -342 | 3 5/8 | 4 | 3/16 | 3.600 ± .028 | .210 ± .005 |
| -343 | 3 3/4 | 4 1/8 | 3/16 | 3.725 ± .028 | .210 ± .005 |
| -344 | 3 7/8 | 4 1/4 | 3/16 | 3.850 ± .028 | .210 ± .005 |
| -345 | 4 | 4 3/8 | 3/16 | 3.975 ± .028 | .210 ± .005 |
| -346 | 4 1/8 | 4 1/2 | 3/16 | 4.100 ± .028 | .210 ± .005 |
| -347 | 4 1/4 | 4 5/8 | 3/16 | 4.225 ± .030 | .210 ± .005 |
| -348 | 4 3/8 | 4 3/4 | 3/16 | 4.350 ± .030 | .210 ± .005 |
| -349 | 4 1/2 | 4 7/8 | 3/16 | 4.475 ± .030 | .210 ± .005 |
| -350 | 4 5/8 | 5 | 3/16 | 4.600 ± .030 | .210 ± .005 |
| -351 | 4 3/4 | 5 1/8 | 3/16 | 4.725 ± .030 | .210 ± .005 |
| -352 | 4 7/8 | 5 1/4 | 3/16 | 4.850 ± .030 | .210 ± .005 |
| -353 | 5 | 5 3/8 | 3/16 | 4.975 ± .037 | .210 ± .005 |
| -354 | 5 1/8 | 5 1/2 | 3/16 | 5.100 ± .037 | .210 ± .005 |
| -355 | 5 1/4 | 5 5/8 | 3/16 | 5.225 ± .037 | .210 ± .005 |
| -356 | 5 3/8 | 5 3/4 | 3/16 | 5.350 ± .037 | .210 ± .005 |
| -357 | 5 1/2 | 5 7/8 | 3/16 | 5.475 ± .037 | .210 ± .005 |
| -358 | 5 5/8 | 6 | 3/16 | 5.600 ± .037 | .210 ± .005 |
| -359 | 5 3/4 | 6 1/8 | 3/16 | 5.725 ± .037 | .210 ± .005 |
| -360 | 5 7/8 | 6 1/4 | 3/16 | 5.850 ± .037 | .210 ± .005 |
| -361 | 6 | 6 3/8 | 3/16 | 5.975 ± .037 | .210 ± .005 |
| -362 | 6 1/4 | 6 5/8 | 3/16 | 6.225 ± .040 | .210 ± .005 |
| -363 | 6 1/2 | 6 7/8 | 3/16 | 6.475 ± .040 | .210 ± .005 |
| -364 | 6 3/4 | 7 1/8 | 3/16 | 6.725 ± .040 | .210 ± .005 |
| -365 | 7 | 7 3/8 | 3/16 | 6.975 ± .040 | .210 ± .005 |
| -366 | 7 1/4 | 7 5/8 | 3/16 | 7.225 ± .045 | .210 ± .005 |
| -367 | 7 1/2 | 7 7/8 | 3/16 | 7.475 ± .045 | .210 ± .005 |
| -368 | 7 3/4 | 8 1/8 | 3/16 | 7.725 ± .045 | .210 ± .005 |
| -369 | 8 | 8 3/8 | 3/16 | 7.975 ± .045 | .210 ± .005 |
| -370 | 8 1/4 | 8 5/8 | 3/16 | 8.225 ± .050 | .210 ± .005 |
| -371 | 8 1/2 | 8 7/8 | 3/16 | 8.475 ± .050 | .210 ± .005 |
| -372 | 8 3/4 | 9 1/8 | 3/16 | 8.725 ± .050 | .210 ± .005 |
| -373 | 9 | 9 3/8 | 3/16 | 8.975 ± .050 | .210 ± .005 |
| -374 | 9 1/4 | 9 5/8 | 3/16 | 9.225 ± .055 | .210 ± .005 |
| -375 | 9 1/2 | 9 7/8 | 3/16 | 9.475 ± .055 | .210 ± .005 |
| -376 | 9 3/4 | 10 1/8 | 3/16 | 9.725 ± .055 | .210 ± .005 |
| -377 | 10 | 10 3/8 | 3/16 | 9.975 ± .055 | .210 ± .005 |
| -378 | 10 1/2 | 10 7/8 | 3/16 | 10.475 ± .060 | .210 ± .005 |
| -379 | 11 | 11 3/8 | 3/16 | 10.975 ± .060 | .210 ± .005 |

| 568 Series DASH NO. | NOMINAL SIZE | | | ACTUAL SIZE | |
|------------------------|--------------|--------|------|---------------|-------------|
| | I.D. | O.D. | W. | I.D. | W. |
| -380 | 11 1/2 | 11 7/8 | 3/16 | 11.475 ± .065 | .210 ± .005 |
| -381 | 12 | 12 3/8 | 3/16 | 11.975 ± .065 | .210 ± .005 |
| -382 | 13 | 13 3/8 | 3/16 | 12.975 ± .065 | .210 ± .005 |
| -383 | 14 | 14 3/8 | 3/16 | 13.975 ± .070 | .210 ± .005 |
| -384 | 15 | 15 3/8 | 3/16 | 14.975 ± .070 | .210 ± .005 |
| -385 | 16 | 16 3/8 | 3/16 | 15.955 ± .075 | .210 ± .005 |
| -386 | 17 | 17 3/8 | 3/16 | 16.955 ± .080 | .210 ± .005 |
| -387 | 18 | 18 3/8 | 3/16 | 17.955 ± .085 | .210 ± .005 |
| -388 | 19 | 19 3/8 | 3/16 | 18.955 ± .090 | .210 ± .005 |
| -389 | 20 | 20 3/8 | 3/16 | 19.955 ± .095 | .210 ± .005 |
| -390 | 21 | 21 3/8 | 3/16 | 20.955 ± .095 | .210 ± .005 |
| -391 | 22 | 22 3/8 | 3/16 | 21.955 ± .100 | .210 ± .005 |
| -392 | 23 | 23 3/8 | 3/16 | 22.940 ± .105 | .210 ± .005 |
| -393 | 24 | 24 3/8 | 3/16 | 23.940 ± .110 | .210 ± .005 |
| -394 | 25 | 25 3/8 | 3/16 | 24.940 ± .115 | .210 ± .005 |
| -395 | 26 | 26 3/8 | 3/16 | 25.940 ± .120 | .210 ± .005 |
| -425 | 4 1/2 | 5 | 1/4 | 4.475 ± .033 | .275 ± .006 |
| -426 | 4 5/8 | 5 1/8 | 1/4 | 4.600 ± .033 | .275 ± .006 |
| -427 | 4 3/4 | 5 1/4 | 1/4 | 4.725 ± .033 | .275 ± .006 |
| -428 | 4 7/8 | 5 3/8 | 1/4 | 4.850 ± .033 | .275 ± .006 |
| -429 | 5 | 5 1/2 | 1/4 | 4.975 ± .037 | .275 ± .006 |
| -430 | 5 1/8 | 5 5/8 | 1/4 | 5.100 ± .037 | .275 ± .006 |
| -431 | 5 1/4 | 5 3/4 | 1/4 | 5.225 ± .037 | .275 ± .006 |
| -432 | 5 3/8 | 5 7/8 | 1/4 | 5.350 ± .037 | .275 ± .006 |
| -433 | 5 1/2 | 6 | 1/4 | 5.475 ± .037 | .275 ± .006 |
| -434 | 5 5/8 | 6 1/8 | 1/4 | 5.600 ± .037 | .275 ± .006 |
| -435 | 5 3/4 | 6 1/4 | 1/4 | 5.725 ± .037 | .275 ± .006 |
| -436 | 5 7/8 | 6 3/8 | 1/4 | 5.850 ± .037 | .275 ± .006 |
| -437 | 6 | 6 1/2 | 1/4 | 5.975 ± .037 | .275 ± .006 |
| -438 | 6 1/4 | 6 3/4 | 1/4 | 6.225 ± .040 | .275 ± .006 |
| -439 | 6 1/2 | 7 | 1/4 | 6.475 ± .040 | .275 ± .006 |
| -440 | 6 3/4 | 7 1/4 | 1/4 | 6.725 ± .040 | .275 ± .006 |
| -441 | 7 | 7 1/2 | 1/4 | 6.975 ± .040 | .275 ± .006 |
| -442 | 7 1/4 | 7 3/4 | 1/4 | 7.225 ± .045 | .275 ± .006 |
| -443 | 7 1/2 | 8 | 1/4 | 7.475 ± .045 | .275 ± .006 |
| -444 | 7 3/4 | 8 1/4 | 1/4 | 7.725 ± .045 | .275 ± .006 |
| -445 | 8 | 8 1/2 | 1/4 | 7.975 ± .045 | .275 ± .006 |
| -446 | 8 1/2 | 9 | 1/4 | 8.475 ± .055 | .275 ± .006 |
| -447 | 9 | 9 1/2 | 1/4 | 8.975 ± .055 | .275 ± .006 |
| -448 | 9 1/2 | 10 | 1/4 | 9.475 ± .055 | .275 ± .006 |
| -449 | 10 | 10 1/2 | 1/4 | 9.975 ± .055 | .275 ± .006 |
| -450 | 10 1/2 | 11 | 1/4 | 10.475 ± .060 | .275 ± .006 |
| -451 | 11 | 11 1/2 | 1/4 | 10.975 ± .060 | .275 ± .006 |
| -452 | 11 1/2 | 12 | 1/4 | 11.475 ± .060 | .275 ± .006 |
| -453 | 12 | 12 1/2 | 1/4 | 11.975 ± .060 | .275 ± .006 |
| -454 | 12 1/2 | 13 | 1/4 | 12.475 ± .060 | .275 ± .006 |
| -455 | 13 | 13 1/2 | 1/4 | 12.975 ± .060 | .275 ± .006 |
| -456 | 13 1/2 | 14 | 1/4 | 13.475 ± .070 | .275 ± .006 |
| -457 | 14 | 14 1/2 | 1/4 | 13.975 ± .070 | .275 ± .006 |
| -458 | 14 1/2 | 15 | 1/4 | 14.475 ± .070 | .275 ± .006 |
| -459 | 15 | 15 1/2 | 1/4 | 14.975 ± .070 | .275 ± .006 |
| -460 | 15 1/2 | 16 | 1/4 | 15.475 ± .070 | .275 ± .006 |
| -461 | 16 | 16 1/2 | 1/4 | 15.955 ± .075 | .275 ± .006 |
| -462 | 16 1/2 | 17 | 1/4 | 16.455 ± .075 | .275 ± .006 |
| -463 | 17 | 17 1/2 | 1/4 | 16.955 ± .080 | .275 ± .006 |
| -464 | 17 1/2 | 18 | 1/4 | 17.455 ± .085 | .275 ± .006 |
| -465 | 18 | 18 1/2 | 1/4 | 17.955 ± .085 | .275 ± .006 |
| -466 | 18 1/2 | 19 | 1/4 | 18.455 ± .085 | .275 ± .006 |
| -467 | 19 | 19 1/2 | 1/4 | 18.955 ± .090 | .275 ± .006 |
| -468 | 19 1/2 | 20 | 1/4 | 19.455 ± .090 | .275 ± .006 |
| -469 | 20 | 20 1/2 | 1/4 | 19.955 ± .095 | .275 ± .006 |
| -470 | 21 | 21 1/2 | 1/4 | 20.955 ± .095 | .275 ± .006 |
| -471 | 22 | 22 1/2 | 1/4 | 21.955 ± .100 | .275 ± .006 |
| -472 | 23 | 23 1/2 | 1/4 | 22.940 ± .105 | .275 ± .006 |
| -473 | 24 | 24 1/2 | 1/4 | 23.940 ± .110 | .275 ± .006 |
| -474 | 25 | 25 1/2 | 1/4 | 24.940 ± .115 | .275 ± .006 |
| -475 | 26 | 26 1/2 | 1/4 | 25.940 ± .120 | .275 ± .006 |

| O-RINGS FOR STRAIGHT THREAD ORB HYDRAULIC FITTINGS | | | | |
|---|-------------------------------|-------------|-------------|------|
| DASH NO. | TUBE SIZE (O.D.) INCHES | ACTUAL SIZE | | |
| | | I.D. | W. | |
| -901 | 3/32 | .185 ± .005 | .056 ± .003 | .003 |
| -902 | 1/8 | .239 ± .005 | .064 ± .003 | .003 |
| -903 | 3/16 | .301 ± .005 | .064 ± .003 | .003 |
| -904 | 1/4 | .351 ± .005 | .072 ± .003 | .003 |
| -905 | 5/16 | .414 ± .005 | .072 ± .003 | .003 |
| -906 | 3/8 | .468 ± .005 | .078 ± .003 | .003 |
| -907 | 7/16 | .530 ± .007 | .082 ± .003 | .003 |
| -908 | 1/2 | .644 ± .009 | .087 ± .003 | .003 |
| -909 | 9/16 | .706 ± .009 | .097 ± .003 | .003 |
| -910 | 5/8 | .755 ± .009 | .097 ± .003 | .003 |
| -911 | 11/16 | .863 ± .009 | .116 ± .004 | .004 |
| | | | | |