



# SUCTION CUP

Part No.	Fig. No.	A (OVERALL HEIGHT)		B (CUP O D)		C *		D *		E (TOP OD)		F *	
		Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm
SC2593	1,5	13/16	0.813	20.6	5/8	0.625	15.9			1) 1/8 5) 5/8			
SC251	2	7/16	0.438	11.1	19/32	0.594	15.1	7/32	0.219	5.6			
SC252	3	27/64	0.422	10.7	19/32	0.594	15.1	7/32	0.219	5.6	1/4	0.250	6.4
SC625	1	9/16	0.563	14.3	43/64	0.672	17.1				7/64	0.109	2.8
2696	1	19/32	0.595	15.1	43/64	0.671	17.0	5/32	0.156	4.0	7/64	0.109	2.8
SC875	2	3/4	0.750	19.1	7/8	0.875	22.2	5/16	0.313	7.9	7/64	0.109	2.8
SC877	2	3/4	0.750	19.1	7/8	0.875	22.2	5/16	0.313	7.9	3/16	0.188	4.8
SC2445	5	3/4	0.750	19.1	7/8	0.875	22.2	1/2	0.500	12.7	11/16***	0.688	17.5
SC1001 S	4****	15/32	0.469	11.9	1	1.000	25.4	3/16	0.188	4.8	#8-32**		
SC1001-B	3	7/16	0.438	11.1	1	1.000	25.4	7/32	0.219	5.6	3/8	0.375	9.5
SC1002-B	3	7/16	0.438	11.1	1	1.000	25.4	9/32	0.281	7.1	3/8	0.375	9.5
SC1310 S	4****	7/16	0.438	11.1	1	1.000	25.4	3/16	0.188	4.8	#8-32**		
SC1310-B-1	3	7/16	0.438	11.1	1	1.000	25.4	3/16	0.188	4.8	3/8	0.375	9.5
SC1310-B-2	3	15/32	0.469	11.9	1	1.000	25.4	7/32	0.219	5.6	3/8	0.375	9.5
SC1310-B-3	3	1/2	0.500	12.7	1	1.000	25.4	1/4	0.250	6.4	3/8	0.375	9.5
SC1325	4****	17/32	0.531	13.5	1 1/4	1.250	31.8	3/16	0.188	4.8	#8-32**		
SC1374	4****	1/2	0.500	12.7	1 3/8	1.375	34.9	5/32	0.156	4.0	#8-32**		
2617	2	45/64	0.708	18.0	1 3/8	1.375	34.9				SOLID		
3383	1-1	3/7	0.421	10.7	1 1/25	1.040	26.4	1/6	0.154	3.9	4/9	0.446	11.3

\* See Drawing \*\* Can also be supplied with .140 dia. tubular rivet \*\*\* Rib \*\*\*\*At manufacturers' option, inside configuration may be spherical radius rather than shape as shown on drawing

S
mm
1.2
6.4
6.4
0.8
2.4
12.7
0.8
1.6
2.4
12.7
6.4
wing